

mosstype@mosstype.com

Tel: (201) 444-8000

150 Franklin Turnpike

Waldwick, N.J. 07463

Fax: (201) 444-0095

Copying and/or downloading of this information for the purpose of properly utilizing Mosstype Corporation product is allowed provided that (1) the information is copied in full with no changes unless prior agreement is obtained from Mosstype Corporation product, & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

Safety Data Sheet Proofing Ink Yellow (7640 0403 29)

Page 1 of 9

revised 11/01/18

Section I Identification

Manufacturer

Mosstype Corporation 150 Franklin Turnpike Waldwick, NJ 07463 201-444-8000

Emergency Telephone Number 1-800-255-3924 (Chem-Tel) **Technical & SDS Information** 201-444-8000

Preparation Date

11/01/18

Product Identification 7640 0403 29

Recommended use: Proofing Print Plates

Product Name: Proofing Ink - Yellow

Hazards Identification Section 2

2.1 Classification of the substance or mixture

May be harmful if swallowed. (Not adopted by US OSHA) Acute Tox. 5; H303

Causes skin irritation. Skin Irrit. 2; H315

Causes serious eye irritation. Eye Irrit. 2; H319

STOT RE 2; H373 May cause damage to organs through prolonged or repeated

Exposure. Specific Target Organs: (kidneys)

2.2 . Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows:



H303 May be harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eve irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

Prevention:

P260 Do not breathe mist/vapors/spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/ eye protection / face protection.

Page 2 of 9

11/01/18

Response:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P312 Call a POISON CENTER or doctor / physician if you feel unwell.

P314 Get Medical advice / attention if you feel unwell.

P321 Specific treatment (see information on this label.)

P332+313 If skin irritation occurs: Get medical advice/ attention.

P337+313 If eye irritation persists: Get medical advice / attention.

P362 Take off contaminated clothing and wash before reuse.

Storage:

No GHS storage statements.

Disposal:

No GHS disposal statements.

Composition/Information on Ingredients Section 3

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/ Chemical Designations Glycerol	Weight %	GHS Classification	Notes
CAS Number: 0000056-81-5	25-50	Not Classified	[1] [2]
Calcium carbonate CAS Number: 0001317-65-3	10-25	Not Classified	[1] [2]
Ethylene glycol CAS Number: 0000107-21-1	5-10	Acute Tox. 4;H302 STOT RE 2;H373	[1] [2]
Diethylene glycol CAS Number: 0000111-46-6	1-5	Acute Tox.4;H302	[1]
Ethanolamine CAS Number: 0000141-43-5	1-5	Acute Tox.4;H332 Acute Tox. 4;H312 Acute Tox. 4;H302 Skin Corr. 1B;H314	[1] [2]

In accordance with paragraph(i) of §1910.1200, the specific chemical identity and/or exact percentage(concentration) of composition has been withheld as a trade secret.

First Aid Measures Section 4

4.1 Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in a recovery position

and obtain immediate medical attention. Give nothing by mouth.

^[1] Substance classified with a health or environmental hazard.

^[2] Substance with a workplace exposure limit.

^[3] PBT- substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

Page 3 of 9

11/01/18

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids

apart and seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or

use recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce

vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Overview Inhalation of vapors may cause irritation of the nasal passages.

Contact with the eyes causes irritation and redness.

Skin irritation may develop.

Repeated and/or prolonged contact with the skin may cause skin irritation

and/or dermatitis.

Warning: This product contains in trace amounts the following chemicals known

to the state of California to cause cancer.

Nicke

Cobalt Metal Powder

See section 2 for further details.

Eves Causes serious eye irritation.

Skin Causes skin irritation.

Ingestion May be harmful if swallowed.

Section 5

Fire-Fighting Measures

5.1 Extinguishing media

Use dry chemicals; CO2: water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Do not breathe mist / vapors/spray.

5.3 Advice for fire-fighters

Use water spray to cool unopened containers. Excessive heat may cause closed containers to explode. Remain upwind and avoid breathing smoke.

Fire fighters and others who may be exposed to the products of combustion should be equipped with NIOSH approved positive pressure self-contained breathing apparatus (SCBA) and full protective clothing.

ERG Guide No. ---

Section 6

Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2 Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

11/01/18

6.3 Methods and material for containment and cleaning up

Stop discharge and contain spill using a dike or barrier. Use an absorbent such as Fuller's earth, clay or other appropriate material. DO NOT flush to sewer, stream or other bodies of water unless authorized by Government Official.

Section 7

Handling and Storage

7.1 Precautions for safe handling

This container is hazardous when empty. DO NOT use heat, sparks, open flames, torches, or cigarettes on or near empty container. Empty containers can retain product residues. DO NOT flush contents or rinsed contents down a sewer or drainage. DO NOT reuse empty container for food, clothing, or products for human or animal consumption or where skin contact may occur.

See section 2 for further details - Prevention.

7.2 Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Store in cool, dry ventilated area. Avoid excessive heat. Always keep containers tightly closed when not in use. Wear approved eye goggles and gloves when handling.

Incompatible materials: Avoid contamination with strong oxidizing agents and acids. Do not mix contents with other materials without first consulting manufacturer.

See section 2 for further details - storage.

7.3 Specific end use(s)

No data available.

Section 8		Exposur	e Controls/ Personal Protection
8.1 Control p	parameters	-	
Exposure			
Cas no.	Ingredient	Source	Value
0000056-81-5	Glycerol	OSHA	TWA 15 mg/m3 (total dust)TWA 5mg/m3(resp)
	•	ACGIH	TWA: 3mg/m3(respirable) 10 mg/m3(mist)
		NIOSH	Not established RELs
		Supplier	No Established Limit
0000107-21-1	Ethylene glycol	OSHA	No Established Limit
	, ,,	ACGIH	TWA: 10 mg/m3(Particulate) Ceiling: 100 mg/m3(Aerosol) 50ppm
			(Vapor) STEL: 20 mg/m3 (Particulate)
		NIOSH	No established RELs
		Supplier	No Established Limit
0000111-46-6	Diethylene glycol	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0000141-43-5	Ethanolamine	OSHA	TWA 3 ppm (6 mg/m3)
		ACGIH	TWA 3 ppm STEL: 6 ppm
		NIOSH	TWA 3 ppm (8 mg/m3) ST 6 ppm (15 mg/m3)
		Supplier	No Established Limit
0001317-65-3	Calcium carbonate	OSHA	TWA 15 mg/m3(total) TWA 5 mg/m3(resp)
		ACGIH	TWA 10 mg/m3 Ceiling: 20 mg/m3
		NIOSH	TWA 10 mg/m3(total) TWA 5 mg/m3(resp)
		Supplier	No Established Limit

Page 5 of 9 11/01/18

Carcinogen	Data
------------	------

Cas no.	Ingredient	Source	Value
0000056-81-5	Glycerol	OSHA	Select Carcinogen: No
	-	NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4:No
0000107-21-1	Ethylene Glycol	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b:No; Group 3:No; Group 4:No
0000111-46-6	Diethylene Glycol	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b:No; Group 3:No; Group 4:No
0000141-43-5	Ethanolamine	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspeccted:No
		IARC	Group 1:No; Group 2a:No, Group 2b:No; Group 3:No; Group 4:No
0001317-65-3	Calcium carbonate	OSHA	Select Carcinogen:No
		NTP	Known:No; Suspected:No
		IARC	Group 1:No; Group 2a:No, Group 2b:No; Group 3:No; Group 4:No

8.2 Exposure controls

Respiratory If workers are exposed to concentrations above the exposure limit they must

use the appropriate, certified respirators.

Wear appropriate eye protection to minimize eye contact with material. **Eyes**

To minimize skin contact, wear non-absorbant, water repelling clothing and Skin boots. Wear appropriate non-absorbant vinyl or rubber gloves to help prevent

and minimize skin contact.

Engineering controls Provide adequate ventilation. Where reasonably practicable this should be

> achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking,

smoking or using toilet. Promptly remove soiled clothing and wash thoroughly

before reuse.

See section 2 for further details – Prevention.

Section 9 **Physical and Chemical Properties**

Semi paste material solid **Appearance**

Odor Ammonical Odor threshold Not determined Not measured Not measured Melting point/freezing point Initial boiling point and boiling range Unknown Flash point Unknown

Evaporation rate (Ether =1) Slower than ether Flammability (solid, gas) Not applicable

Upper/lower flammability or explosive limits Lower explosive limit: Not measured Upper explosive limit: Not measured

Vapor pressure (Pa) Not measured Vapor density Heavier than air **Specific Gravity** (H2O = 1) 1.404

Solubility in Water Soluble

Partition coefficient n-octanol/water (Log Kow) Not measured **Auto-ignition temperature** Not measured

Page 6 of 9

Decomposition temperature Viscosity (cSt)

Not measured Not measured

Material V.O.C.: 1.8 lb/gl Coating V.O.C.: 2.96 lb/gl V.O.C. Grams/Liter: 216 g/l

11.695 lb/gl

Density

No other relevant information.

Section 10

Reactivity and Stability

10.1 Reactivity

Hazardous Polymerization will not occur.

10.2 Chemical stability

Stable under normal circumstances.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

No data available.

10.5 Incompatible materials

Avoid contamination with strong oxidizing agents and acids. Do not mix contents with other materials without first consulting manufacturer.

10.6 Hazardous decomposition products

No hazardous decomposition data available.

Section 11	Toxicological Information				
Acute toxicity					
Ingredient	Oral LD 50, mg/kg	Skin LD50 mg/kg	Inhalation Vapor LC50 mg/L/4hr	Inhalation Dust/Mist LC50 mg/L/4hr	Inhalation Gas LC50 ppm
Glycerol (56-81-5)l	12,600.00, Rat Category: NA	10,000.00 Rabbit- Category: NA	no data available	no data available	no data available
Calcium carbonate (1317-65-3)	No data avail.	0 ,	No data avail.	No data available	no data available
Ethylene glycol (107-21-1)	4,700.00, Rat- Category:5	10,626.00, Rabbit- Category: NA	no data avail.	No data available	no data available
Diethylene glycol (111-46-6)	12,565.00, Rat- Category: NA	0 ,	no data avail.	No data available	no data available
Ethanolamine (141-43-5)	1,720.00, Rat- Category: 4	1,015.00, Rabbit – Category:4	no data avail.	No data available	no data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the products ATE (Acute Toxicity Estimate).

Page 7 of 9

Classification	Category	Hazard Description
Acute toxicity (oral)	5	May be harmful if swallowed. (Not adopted by US
		OSHA)
Acute toxicity (dermal)		Not applicable
Acute toxicity (inhalation)		Not applicable
Skin corrosion/irritation	2	Causes skin irritation
Serious eye damage/irritation	2	Causes serious eye irritation
Respiratory sensitization		Not applicable
Skin sensitization		Not applicable
Germ cell mutagenicity		Not applicable
Carcinogenicity		Not applicable
Reproductive toxicity		Not applicable
STOT – single exposure		Not applicable
STOT – repeated exposure	2	May cause damage to organs through prolonged
		or repeated exposure.
Aspiration hazard		Not applicable

Section 12

Ecological Information

Toxicity

No additional information provided for this product. See Sections 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Glycerol (56-81-5)	67,5000.00, Oncorhynchus mykiss	10,000.00, Daphnia magna	Not available
Calcium carbonate (1317-65-3)	Not available	Not available	Not available
Ethylene glycol (107-21-1)	8,050.00 Pimephales promelas	100.00, Crangon crangon	6500.00 (96hr), Selenastrum Capricornutum
Diethylene glycol (111-46-6)	32,000.00 Gambusia affinis	8,400.00, Daphnia magna	Not available
Ethanolamine (141-43-5)	150.00, Oncorhynchus mykiss	65.00, Daphnia magna	15.00 (72hr),Desmodesmus subspicatus

12.2 Persistence and degradability

There is no data available on the preparation itself.

12.3 Bioaccumulative potential

Not measured.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6 Other adverse effects

No data available.

Section 13

Disposal Considerations

13.1 Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Section 14	Transportation		
	DOT (Domestic Surface	IMO/IMDG(Ocean	ICAO/IATA
	Transportation)	Transportation)	
UN Number	Not applicable	Not regulated	Not regulated
UN proper shipping name	Not regulated	Not regulated	Not regulated
Transport hazard class	DOT Hazard Class: NA	IMDG: NA	Air Class: NA
·		Subclass: NA	
Packing Group	Not applicable	Not applicable	Not applicable
Environmental hazards	• •	IMDG:	
		Marine pollutant: No	

Special precautions for user: No further information

Section 15Regulatory InformationRegulatory OverviewThe regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.Toxic SubstanceAll components of this material are either listed or exempt from listing on the TSCA Inventory.

WHMIS Classification D2B

US EPA Tier II Hazards Fire: No

Sudden release of Pressure: No

Reactive: No

Immediate (Acute): Yes Delayed (Chronic): Yes

EPCRA 311/312 Chemicals and RQs(lbs):

Ethylene glycol (5,000.00)

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statue.

EPCRA 313 Toxic Chemicals:

(2-methoxymethylethoxy) propanol

Ethylene glycol

Proposition 65- Carcinogens (>0.0%)

Quartz

Proposition 65 - Developmental Toxins (>0.0%)

Ethylene glycol

Proposition 65 – Female Repro Toxins (>0.0%)

To the best of our knowledge, there are no chemicals at levels which require reporting under this statue.

Proposition 65 – Male Repro Toxins (>0.0%)

To the best of our knowledge, there are no chemicals at levels which require reporting under this statue.

New Jersey RTK Substances (>1%)

Ethanolamine

Ethylene glycol

Glycerol

Calcium Carbonate

Pennsylvania RTK Substances (>1%)

Diethylene glycol

Ethanolamine

Ethylene glycol

Glycerol

Calcium carbonate

Page 9 of 9 11/01/18

Section 16 Other Information

Every reasonable effort has been made to ensure that the safety information on this sheet is accurate. But because Mosstype has no control over the conditions under which the product will be used, liability is limited exclusively to replacement or refund of the purchase price of this product. Except as stated herein, there are no expressed or implied warranties of merchantability or fitness for a particular purpose. Mosstype assumes no liability for injury or incidental or consequential damages arising out of the storage handling, or use of this product. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.