



MOSSTYP E

150 Franklin Turnpike, Waldwick, NJ 07463 USA

Phone: (201) 444-8000 ext. 324 Fax: (201) 444-0095 www.mosstyp e.com

Material Safety Data Sheet Sealedge –Blue (7630 0200 34)

page 1 of 3

Section I

General Information

Manufacturer

Mosstyp e Corporation
150 Franklin Turnpike
Waldwick, NJ 07463
201-444-8000

Emergency Telephone Number
1-800-255-3924 (Chem-Tel)

Technical & MSDS Information
201-444-8000

Preparation Date
4/2011

Applicable Products
Sealedge Blue

Product Identification
7630 0200 34

Section 2

Hazardous Ingredients

Name	CAS #	OSHA PEL	Exposure Limit	
			ACGIH TLV	% by Wt.
Ethylene Glycol	107-21-1	Not Established	50 ppm	3.0

Section 3

Physical Properties

Boiling Point: 212 degrees F
Specific Gravity: (H₂O=1) 1.01
Solubility in Water: Dilutable

Appearance and odor: Viscous blue liquid – ammonia odor

Section 4

Fire and Explosion Hazard Information

Flash Point (method used): N/A

UEL: N/A

LEL: N/A

Extinguishing Media: Water fog, CO₂, dry chemical, foam

Special Fire Fighting Procedures: Use of SCBA is recommended.

Unusual Fire and Explosion Hazards: None known.

Section 5

Reactivity Data

Stability:

Stable

Hazardous Polymerization:

Will not occur

Incompatibility (materials to avoid):

Acidic materials may cause product to coagulate.

Hazardous Decomposition or Byproducts: Oxides of carbon from thermal decomposition.

Section 6	Health Hazard Data
Primary Routes of Entry:	Skin: Yes Inhalation: Yes Ingestion: Possible
Health Hazards (Acute and Chronic): Product is alkaline and prolonged skin contact or direct eye contact may cause irritation. May cause intestinal blockage if swallowed. Excessive breathing of vapors may cause mild respiratory irritation.	
Carcinogenicity: NTP – No	IARC Monographs: No
OSHA regulated: No	
Signs and Symptoms of Exposure:	Eye, skin, or respiratory irritation.
Medical Conditions Generally Aggravated by Exposure: none known.	
Emergency and First Aid procedures:	Skin: Wash with soap and water Eyes: Flush with water and rinse with USP eyewash. Inhalation: Remove to fresh air Ingestion: Follow with water & consult physician.

Section 7	Safe Handling Practices
Spill Procedure:	Contain spill and soak up with industrial absorbent material.
Waste Disposal:	Landfill or incinerate in accordance with applicable Federal, State, and Local regulations.
Handling and Storage:	Keep from freezing. Mix well before using. Keep containers properly sealed when not in use. Store under normal room conditions.

Section 8	Control Measures
Respiratory Protection:	Not required if adequate ventilation exists.
Ventilation/Local Exhaust:	Preferable
Ventilation/Mechanical Exhaust (General):	Acceptable
Protective Gloves:	Recommended
Eye Protection:	Splash-proof safety goggles
Other Protective Clothing or Equipment:	Eyewash station or equivalent
Work/Hygenic Practices:	Observe normal good housekeeping practices. Avoid spills.

Section 9 Regulatory Information

SARA Section 313 and 40 CFR Part 372

<u>Name</u>	<u>Cas #</u>	<u>% by Weight</u>
Ethylene Glycol	107-21-1	3.0

*****DISCLAIMER*****

Every reasonable effort has been made to ensure that the safety information on this sheet is accurate. But because Mosstype has no control over the conditions under which the product will be used, liability is limited exclusively to replacement or refund of the purchase price of this product. Except as stated herein, there are no expressed or implied warranties of merchantability or fitness for a particular purpose. Mosstype assumes no liability for injury or incidental or consequential damages arising out of the storage, handling, or use of this product.